







17782 wall drain with electric
17783 floor drain with electric
17785 wall drain with crank
17786 floor drain with crank

17783 floor drain with electric

17785 wall drain with crank


17786 floor drain with crank



Save this installation instruction for after use. Sästä tämä asennusohje myöhempää käyttöä varten.


Gaius DUO,
Attachment points, 8 pcs
Seinäkiinnitys 8 kpl

17782, 17783
17785, 17786



Gaius DUO, Water and electric Vesi ja sähköpisteet

17782, 17783



C holder/ Kannake
LVI nr. 321944
Screw/ Jalkaruuvi
LVI nr. 3217174

Junction box/ Kyt Kentärasia
230V AC IP44-IP65
(Size/Koko 88x88x44)
Not included package/
Ei sisälly pakettiin

Connecting pipe/ KytKentäletku
G₂^{1"} G₂^{1"} L1500mm
LVI nr. 6522232

Wall drain
Seinäviemäri

Floor drain
Lattiaviemäri


LVI nr. go to www.lvi-info.fi/en/product-search
and find LVI number "Search content"
LVI nr. mene www.lvi-info.fi/tuotehaku
ja etsi LVI-numerolla tuote

Gaius DUO,

Water supply

Vesipiste


17785, 17786



LVI nr. go to www.lvi-info.fi/en/product-search
and find LVI number "Search content"


LVI nr. mene www.lvi-info.fi/tuotehaku
ja etsi LVI-numerolla tuote

17785, 17786




ja etsi LVI-numerolla tuote


Notice!
 General instructions:
 Use motor or crank up and down to help installation.
 If frame don't go down by motor, press moving frame by hand.




1. Connect electricity:





2. Affix the frame to the wall:




3. Connect hose:




4. Drain:



4a







4b




5.

1. Wrap motor cable
2. Add water pipe



6.


1. Water tank on it's place
2. Connect hose to water tank



- 1a. Tie on water hose to clamp

- 1b. Tie on water hose to clamp with ground wire

Add water hose holder to Bide Elegant wc-bowl ONLY!



(C) Install Bide Elegant hose to holder

G2

G3


See the page 4.
Katso ohje, sivu 4.

7.

Gaius DUO, with Bide Elegant Bide Elegantilla

17782, 17783
17785, 17786


Mentioned products does not belong in the package.
Mainitut tuotteet eivät sisälly pakettiin.




8.




**Mind
the water
pipes and
cables**




9.



1. Disconnect hand control
2. Choose side to install hand control
3. Pop-up three pieces from cover A
4. Install plug on cover A




10.




Add Lock ring
inside(1)


1a Measure the pipe:




1b





1c




1d




Mount the cover, seat and support rails:




D Mount the toilet roll holder, remote control holder and covers :




E1




A




B




C




D




E




F




G





Do not try to unclog any blockage via the toilet bowl as this may damage the flexible pipe.

Always perform unclogging by moving the implement in the direction of the building's drain pipes.



In a case of checking or clogging:
1. Lift Duo as up you can
2. Remove screws, 4 pcs
3. Remove under cover
4. Squeeze black drain pipe